

To

Date – 06/07/2019

The Secretary

Pollution Control Board

Bhubaneswar

**Sub – Submission of BMW Annual Report 2018**

Dear Sir / Madam

Please find enclosed the annual report of Bio Medical Waste generation for the period January 2018 to December 2018 of CARE hospital, Prachi Enclave, Chandrasekharpur ., Bhubaneswar.

Your Sincerely



Sanjeev Rudra

AGM Hospitality

CARE Hospital

Mob - 9937280323

Encl : BMW Annual Report 2018

Received  
S  
07/19

08 JUL 2019

**Form - IV**  
**(See rule 13)**  
**ANNUAL REPORT**

[To be submitted to the prescribed authority on or before 30th June every year for the period from January to December of the preceding year, by the occupier of health care facility (HCF) or common bio-medical waste treatment facility (CBWTF)]

Sl. No.	Particulars		
1	Particulars of the Occupier	:	
	(i) Name of the authorized person (occupier or : operator of facility)	:	Mr. Mayur Vinod Dave
	(ii) Name of HCF or CBMWTF	:	CARE HOSPITAL Bhubaneswar
	(iii) Address for Correspondence	:	Plot No. 325, Panch Enclave, Chandrasekhar
	(iv) Address of Facility	:	BBSR, Odisha - 751011
	(v) Tel. No, Fax. No	:	As Above
	(vi) E-mail ID	:	0664-6165656 Feed back bbsr@carehospitals.com
	(vii) URL of Website	:	www.carehospitals.com
	(viii) GPS coordinates of HCF or CBMWTF	:	
	(ix) Ownership of HCF or CBMWTF	:	(State Government or Private or Semi Govt. or any other)
	(x). Status of Authorization under the Bio-Medical Waste (Management and Handling) Rules	:	Authorisation No.: 13702 21.3.20 Valid upto: .....
	(xi). Status of Consents under Water Act and Air Act	:	Valid upto:
2	Type of Health Care Facility	:	
	(i) Bedded Hospital	:	No. of Beds: 230
	(ii) Non-bedded hospital	:	
	Clinical Laboratory or Research Institute or Veterinary Hospital or any other)	:	
	(iii) License number and its date of expiry	:	
3	Details of CBMWTF	:	
	(i) Number of health care facilities covered by CBMWTF	:	
	(ii) No. of Beds covered by CBMWTF	:	
	(iii) Installed treatment and disposal capacity of CBMWTF:	:	_____ Kg / day
	(iv) Quantity of bio medical waste treated or disposed by CBMWTF	:	_____ Kg / day
4	Quantity of waste generated or disposed in Kg per Annum (on monthly average basis)	:	Yellow Category: 8091 kg Red Category: 5936 kg White: 991.8 kg Blue Category: 3628 kg General Solid Waste:
5	Details of the Storage, Treatment, Transportation, Processing and Disposal Facility	:	
	(i) Details of the on-site storage	:	Size: NA


	facility	Capacity: (provision of on-site storage: (Cold storage or any other provision))			
		Type of treatment equipment	No of units	Capacity kg/day	Quantity Treated or disposed in kg per annum
	(ii) Disposal facilities	N/A			
	(iii) Quantity of recyclable wastes sold to authorized recyclers after treatment in Kg per annum	Red Category (like plastic, glass, etc.)			N/A
	(iv) No. of Vehicles used for collection and transportation of biomedical waste				N/A
	(v) Details of incineration ash and ETP sludge generated and disposed during the treatment of wastes in Kg per annum		Quantity Generated	Where disposed	
		Incineration			
		Ash	N/A		
		ETP Sludge			
	(vi) Name of the Common Bio-Medical Waste Treatment Facility Operator through which wastes are disposed of	Sanicleon			
	(vii) List of member HCF not handed over bio-medical waste.				
6	Do you have bio-medical waste management committee? If yes, attach minutes of the meetings held during the reporting period	yes-			

7	Details trainings conducted on BMW	
	(i) Number of trainings conducted on BMW Management	36
	(ii) Number of personnel trained	120
	(iii) Number of personnel trained at the time of induction	42
	(iv) Number of personnel not undergone any training so far	None
	(v) Whether standard manual for training is available?	Yes
8	Details of the accident occurred during the year	
	(i) Number of Accidents occurred	None
	(ii) Number of persons affected	None
	(iii) Remedial Action taken (Please attach details if any)	None
	(iv) Any Fatality occurred, details	None
9	Are you meeting the standards of air Pollution from the incinerator? How many times in last year could not met the standards?	
	Details of Continuous online emission monitoring systems installed	
10	Liquid waste generated and treatment methods in place. How many times you have not met the standards in a year?	Yes. Always in limit
11	Is the disinfection method or sterilization meeting the log 4 standards? How many times you have not met the standards in a year?	Yes. Always met the standards
12	Any other relevant information	(Air Pollution Control Devices attached with the Incinerator)

Certified that the above report is for the period from

Jan 2018 - Dec 2018

Name and Signature of the Head of the Institution



Date: 24/05/19

Place: Bhulanagar